

Transfer Case Capacities and Fluid Types

Part Numbers	T/C Model	OEM Oil Type	Liter Capacities	Reduction
UMT100	BW1372/4472	A.T.F. DEXRON III	1L	
UMT101	BW1372/4472	A.T.F. DEXRON III	1.2L	
UMT102	BW1372/4472	A.T.F. DEXRON III	1.5L	
UMT103	BW1372/4472	A.T.F. DEXRON III	1.23L	
UMT103-2	BW4473	A.T.F. DEXRON III	2.36L	*
UMT103-3	BW4481	A.T.F. DEXRON III	1.4L	
UMT103-4	BW4479	A.T.F. DEXRON III	500ml	*
UMT103-5	BW4477	88861950	500ml	*
UMT103-6	BW4479	A.T.F. DEXRON III	500ml	*
UMT104-2	NV231C	A.T.F. DEXRON III	1L	2.72
UMT104-3	NV231C	A.T.F. DEXRON III	1L	2.72
UMT104-4	NV231C	A.T.F. DEXRON III	1L	2.72
UMT104-5	NV231C	A.T.F. DEXRON III	1L	2.72
UMT106-1	NV231C	A.T.F. DEXRON III	1L	2.72
UMT106-2	NV231C	A.T.F. DEXRON III	1L	2.72
UMT107-1	NV233C	A.T.F. DEXRON III	1L	2.72
UMT107-2	NV233C	A.T.F. DEXRON III	1L	2.72
UMT107-3	NV233C	A.T.F. DEXRON III	1L	2.72
UMT108-1	NV233C	A.T.F. DEXRON III	1L	2.72
UMT108-2	NV233C	A.T.F. DEXRON III	1L	2.72
UMT108-3	NV233C	A.T.F. DEXRON III	1L	2.72
UMT109	NV241C	A.T.F. DEXRON III	2.3L	2.72
UMT110	NV241C	A.T.F. DEXRON III	2.3L	2.72
UMT111	NV241C	A.T.F. DEXRON III	2.3L	2.72
UMT112	NV241C	A.T.F. DEXRON III	2.3L	2.72
UMT114-1	NV243C	A.T.F. DEXRON III	2.3L	2.72
UMT114-2	NV243C	A.T.F. DEXRON III	2.3L	2.72
UMT116-1	BW4401	A.T.F. DEXRON III	3.1L	2.69
UMT116-2	BW4401	A.T.F. DEXRON III	3.1L	2.69
UMT117-1	BW4401	A.T.F. DEXRON III	3.1L	2.69
UMT118-1	BW4401	A.T.F. DEXRON III	3.1L	2.69
UMT119-1	BW4401	A.T.F. DEXRON III	3.1L	2.69
UMT120-1	BW4401	A.T.F. DEXRON III	3.1L	2.69
UMT121-1	BW4470	A.T.F. DEXRON III	3.1L	2.69
UMT123-1	BW4470	A.T.F. DEXRON III	3.1L	2.69
UMT123-2	BW4470	A.T.F. DEXRON III	3.1L	2.69
UMT124-1 %	BW4470	A.T.F. DEXRON III	3.1L	2.69
UMT126-1	NV241C	A.T.F. DEXRON III	2.3L	2.72
UMT126-2 %	NV241C	A.T.F. DEXRON III	2.3L	2.72
UMT127	NV241C	A.T.F. DEXRON III	2.3L	2.72
UMT128	NV241C	A.T.F. DEXRON III	2.3L	2.72
UMT129 %	NV207C	A.T.F. DEXRON III	2.2L	2.72
UMT130 %	NV241C	A.T.F. DEXRON III	2.3L	2.72
UMT132 %	NP241C	A.T.F. DEXRON III	2.3L	2.72
UMT133 %	NV241C	A.T.F. DEXRON III	2.3L	2.72
UMT134 %	NV241C	A.T.F. DEXRON III	2.3L	2.72

Transfer Case Capacities and Fluid Types

Part Numbers	T/C Model	OEM Oil Type	Liter Capacities	Reduction
UMT135	136GM	AUTO TRAK II	2.3L	*
UMT136-1	236GM	AUTO TRAK II	1.9L	2.72
UMT136-2	226GM	AUTO TRAK II	1.9L	2.69
UMT136-3	NV126	AUTO TRAK II	1.8L	*
UMT136-4	120GM	AUTO TRAK II	1.8L	*
UMT137-1	246GM	AUTO TRAK II	1.9L	2.72
UMT137-2	246GM	AUTO TRAK II	1.9L	2.72
UMT137-3	149GM	DEXRON/MERCON ****	2.3L	*
UMT137-4	246GM	AUTO TRAK II	1.9L	2.72
UMT137-5	246GM	AUTO TRAK II	1.9L	2.72
UMT138-1	261GM	A.T.F. DEXRON III	1.9L	2.72
UMT138-2	261GM	A.T.F. DEXRON III	1.9L	2.72
UMT139-1	261GM	A.T.F. DEXRON III	1.9L	2.72
UMT139-3	263XHD	A.T.F. DEXRON III	1.9L	2.72
UMT139-4	261XHD	A.T.F. DEXRON III	1.9L	2.72
UMT139-5	NV263HD	A.T.F. DEXRON III	1.9L	2.72
UMT139-6	NV273C	A.T.F. DEXRON III	1.89L	2.72
UMT140	BW4482	DEXRON/MERCON	1.9L	2.64
UMT141-1	MP3023LD	DEX VI	1.5L	2.68
UMT141-10	MP1626XHD	DEX VI	1.5L	2.68
UMT141-2	MP1222LD	DEX VI	1.5L	2.68
UMT141-3	MP1225HD	DEX VI	1.5L	2.68
UMT141-4	MP1226HD	DEX VI	1.5L	2.68
UMT141-5	MP1625HD	DEX VI	1.5L	2.68
UMT141-6	MP1620XHD	DEX VI	1.5L	2.68
UMT141-7	MP3023LD	DEX VI	1.5L	2.68
UMT141-8	MP1222LD	DEX VI	1.5L	2.68
UMT141-9	MP1625HD	DEX VI	1.5L	2.68
UMT142	BW4485	DEX VI	1.4L	* 40-60 split
UMT150	PTU	75w-90 FULL SYNTHETIC	900ml	*
UMT160	PTU	VERSA-TRAC 12378514	500ml	*
UMT160-1	PTU	VERSA-TRAC 12378514	500ml	*
UMT160-2	PTU	VERSA-TRAC 12378514	950ml	*
UMT170	T-150	SYNCHROMESH #88900399	1.3L	2.48
UMT203-1 %	ISUZU	5w - 30	1.5L	
UMT203-2 %	ISUZU	5w - 30	1.5L	
UMT204-1 %	NV208J	A.T.F.	3.3L	2.61
UMT204-2 %	NV208J	A.T.F.	3.3L	2.61
UMT204-3 %	NV228J	A.T.F.	3.3L	2.61
UMT204-4 %	NV228J	A.T.F.	3.3L	2.61
UMT205-1 %	NV229J	A.T.F.	3.3L	2.61
UMT205-2	218AMG	A.T.F.	3.3L	2.72
UMT206-1 %	NV229J	A.T.F.	3.3L	2.61
UMT207-1	NV231J	A.T.F. +4	1.2L	2.72
UMT207-10	NV231J	A.T.F. +4	1.2L	2.72

Transfer Case Capacities and Fluid Types

Part Numbers	T/C Model	OEM Oil Type	Liter Capacities	Reduction
UMT207-10FY	NV321J	A.T.F. +4	1.2L	2.72
UMT207-11	DANA300	85-90 GL	1.9L	
UMT207-12	NV231J	A.T.F. +4	1.2L	2.72
UMT207-12FY	NV231J	A.T.F. +4	1.2L	2.72
UMT207-13	NV231J	A.T.F. +4	1.4L	2.72
UMT207-14	NV241J	A.T.F. +4	3L	4
UMT207-15	NV231J	A.T.F. +4	1.4L	2.72
UMT207-16	241J 2nd GEN	A.T.F. +4	2L	2.72
UMT207-17	241J 2nd GEN	A.T.F. +4	2L	2.72
UMT207-18	241J	A.T.F.	2L	4
UMT207-19	241J	A.T.F.	2L	2.72
UMT207-1FY	NV231J	A.T.F. +4	1.2L	2.72
UMT207-2	NV231J	A.T.F. +4	1.2L	2.72
UMT207-2FY	NV231J	A.T.F. +4	1.2L	2.72
UMT207-3	NP231J	A.T.F. +4	1.2L	2.72
UMT207-3FY	NV231J	A.T.F. +4	1.2L	2.72
UMT207-4	NV231J	A.T.F. +4	1.2L	2.72
UMT207-4FY	NV231J	A.T.F. +4	1.2L	2.72
UMT207-5	NV231J	A.T.F. +4	1.2L	2.72
UMT207-5FY	NV231J	A.T.F. +4	1.2L	2.72
UMT207-6	NV231J	A.T.F. +4	1.2L	2.72
UMT207-6FY	NV231J	A.T.F. +4	1.2L	2.72
UMT207-7	NV231J	A.T.F. +4	1.2L	2.72
UMT207-7FY	NV231J	A.T.F. +4	1.2L	2.72
UMT207-8	NV231J	A.T.F. +4	1.2L	2.72
UMT207-9	NV231J	A.T.F. +4	1.2L	2.72
UMT208-1	NV242J	A.T.F. +4	1.4L	2.72
UMT208-10	NV242J	A.T.F. +4	1.4L	2.72
UMT208-11	NV242JHD	A.T.F. +4	1.4L	2.72
UMT208-12	NV242J	A.T.F. +4	1.6L	2.72
UMT208-13	NV242J	A.T.F. +4	1.4L	2.72
UMT208-2	NV242J	A.T.F. +4	1.4L	2.72
UMT208-3	NV242J	A.T.F. +4	1.4L	2.72
UMT208-4	NV242J	A.T.F. +4	1.4L	2.72
UMT208-5	NV242J	A.T.F. +4	1.4L	2.72
UMT208-6	NV242J	A.T.F. +4	1.4L	2.72
UMT208-7	NV242J	A.T.F. +4	1.4L	2.72
UMT208-8	NV247J	MOPAR 05016796AC**	1.6L	2.72
UMT208-8A	NV247J	MOPAR 05016796AC**	1.6L	2.72
UMT208-9	NV247J	MOPAR 05016796AC**	1.6L	2.72
UMT209-1	NV249J	A.T.F. +4	1.2L	2.72
UMT209-2	NV249J	A.T.F. +4	1.2L	2.72
UMT209-3	NV249J	A.T.F. +4	1.2L	2.72
UMT210 %	KIATR	75W - 90	1.3L	
UMT212-1 %	KM100	80W - 75W/85W	2.2L	
UMT212-2 %	KM100	80W - 75W/85W	2.2L	

Transfer Case Capacities and Fluid Types

Part Numbers	T/C Model	OEM Oil Type	Liter Capacities	Reduction
UMT212-3 %	KM100	80W - 75W/85W	2.2L	
UMT212-5 %	KM100	80W - 75W/85W	2.2L	
UMT213-1 %	KM120	80W - 75W/85W	2.2L	
UMT213-2 %	KM120	80W - 75W/85W	2.2L	
UMT214 %	T100L	75W - 90	1.5L	
UMT215-1 %	TX10	ATF - DEXRONII	2.2L	
UMT215-2 %	TX10	ATF - DEXRONII	2.2L	
UMT240J	NV140	ATF	650ml	*
UMT245	NV245J	MOPAR 05016796AC**	1.8L	
UMT245-1	NV245J	MOPAR 05016796AC**	1.8L	
UMT245-2	NV245J	MOPAR 05016796AC**	1.8L	
UMT245-3	MP1522	ATF +4	1.8L	
UMT250	146J	MOPAR 68001758AA	1.4L	*
UMT252	MP3010	ATF	.51L	*
UMT260	PTU	SAE 80W-90	538ml	*
UMT270	PTU	75w-90	1L	*
UMT271	PTU	75W - 90 full synthetic	800ml	*
UMT280	PTU	SAE 75W-90	1.13L	*
UMT299 %	NP203D	SAE 50 MOTOR OIL	3.9L	
UMT300	143KA	ATF +4	850ml	*
UMT300-1	143KA	ATF +4	850ml	*
UMT300-2		MOPAR LX oil # 5170055ab	615ml	*
UMT302-1 %	NP205D	SAE 50 MOTOR OIL	2.1L	na
UMT302-2 %	NP205D	SAE 50 MOTOR OIL	2.1L	na
UMT303 %	NP205D	SAE 50 MOTOR OIL	2.1L	na
UMT304	NP205D	SAE 50 MOTOR OIL	2.1L	na
UMT305	NP205D	SAE 50 MOTOR OIL	2.1L	na
UMT306 %	NP208D	A.T.F.	2.8L	2.61
UMT307 %	NP208D	A.T.F.	2.8L	2.61
UMT308-1	NP231D	A.T.F. DEXRON III	1.2L	2.72
UMT308-2 %	NP231D	A.T.F. DEXRON III	1.2L	2.72
UMT308-3	NP231D	A.T.F. DEXRON III	1.2L	2.72
UMT308-4 %	NV207D	A.T.F. DEXRON III	2.1L	na
UMT309-1	NP231D-HD	A.T.F. DEXRON III	1.2L	2.72
UMT310-1	NP231D	A.T.F. DEXRON III	1.2L	2.72
UMT311-1	NP231D	A.T.F. DEXRON III	1.2L	2.72
UMT311-2 %	NP231D	A.T.F. DEXRON III	1.2L	2.72
UMT311-3	NP231D	A.T.F. DEXRON III	1.2L	2.72
UMT312-1	NP231D	A.T.F. DEXRON III	1.2L	2.72
UMT312-10	NV244D	A.T.F. +4	1.6L	2.72
UMT312-11	NV233D	A.T.F. +4	1.18L	2.72
UMT312-2	NP231D	A.T.F. DEXRON III	1.2L	2.72
UMT312-3	NP231D	A.T.F. DEXRON III	1.2L	2.72
UMT312-4	NP241D	A.T.F. DEXRON III	2.2L	2.72
UMT312-5	NP231D	A.T.F. DEXRON III	1.2L	2.72

Transfer Case Capacities and Fluid Types

Part Numbers	T/C Model	OEM Oil Type	Liter Capacities	Reduction
UMT312-6	NP233D	A.T.F. DEXRON III	1.2L	2.72
UMT312-7	NP231D	A.T.F. DEXRON III	2L	2.72
UMT312-8	NP244D	A.T.F. +4	1.6L	2.72
UMT312-9	NP133D	A.T.F. +4	1.2L	2.72
UMT313-1	NP241DHD	A.T.F. +4	3.1L	2.72
UMT313-10	NP241DHD	A.T.F. +4	3.1L	2.72
UMT313-11	NV271D	A.T.F. +4	1.89L	2.72
UMT313-12	NV273D	A.T.F. +4	1.89L	2.72
UMT313-13	NV273D	A.T.F. +4	1.89L	2.72
UMT313-14	NV271D	A.T.F. +4	1.89L	2.72
UMT313-15	NV271D	A.T.F. +4	1.89L	2.72
UMT313-16	NV271D	A.T.F. +4	1.89L	2.72
UMT313-17	NV273D	A.T.F. +4	1.89L	2.72
UMT313-18	NV273D	A.T.F. +4	1.89L	2.72
UMT313-19	NV271D	A.T.F. +4	1.89L	2.72
UMT313-2	NP241DHD	A.T.F. +4	3.1L	2.72
UMT313-20	NV271D	A.T.F. +4	1.89L	2.72
UMT313-21	NV273D	A.T.F. +4	1.89L	2.72
UMT313-3	NP241DHD	A.T.F. +4	3.1L	2.72
UMT313-4 %	NP241DHD	A.T.F. +4	3.1L	2.72
UMT313-5	NP241DHD	A.T.F. +4	3.1L	2.72
UMT313-6	NP241DHD	A.T.F. +4	3.1L	2.72
UMT313-7	NP241DHD	A.T.F. +4	3.1L	2.72
UMT313-8	NP241DHD	A.T.F. +4	3.1L	2.72
UMT313-9	NP241DHD	A.T.F. +4	3.1L	2.72
UMT314-1	NP241DLD	A.T.F. DEXRON III	2.7L	2.72
UMT314-10	NV244D	A.T.F. +4	1.35L	2.72
UMT314-11	NV244D	A.T.F. +4	1.35L	2.72
UMT314-2	NP241DLD	A.T.F. DEXRON III	2.7L	2.72
UMT314-3	NP241DLD	A.T.F. DEXRON III	2.7L	2.72
UMT314-4	NP241DLD	A.T.F. DEXRON III	2.7L	2.72
UMT314-5	NP241DLD	A.T.F. DEXRON III	2.7L	2.72
UMT314-6	NP241DLD	A.T.F. DEXRON III	2.7L	2.72
UMT314-7	NP241DLD	A.T.F. DEXRON III	2.7L	2.72
UMT314-8	NV244D	A.T.F. +4	1.35L	2.72
UMT314-9	NV241DLD	A.T.F. +4	2.36L	2.72
UMT315-1	NP242D	A.T.F. +4	1.35L	2.72
UMT315-2	NP242D	A.T.F. +4	1.35L	2.72
UMT315-3	242AM GENERAL	A.T.F. +4	1.4L	2.72
UMT315-4	242AM GENERAL	A.T.F. +4	1.4L	2.72
UMT315-5	BW4484	DEXRON/MERCON	1.9L	2.64
UMT315-6	BW4494	DEXRON/MERCON	1.5L	4
UMT315-7	BW4493	DEXRON/MERCON	1.5L	2.64
UMT315-8	NV242AMG	DEXRON/MERCON	1.4L	2.72
UMT315-9	BW4484	DEXRON VI	2L	2.64
UMT316-1	NV144D	A.T.F. +4	850ml	2.72

Transfer Case Capacities and Fluid Types

Part Numbers	T/C Model	OEM Oil Type	Liter Capacities	Reduction
UMT317-1	NV243D	A.T.F. +4	1.6L	2.72
UMT317-2	NV244D	A.T.F. +4	1.6L	2.72
UMT317-3	NV244/244HB	A.T.F. +4	1.6L	2.72
UMT317-4	NV243D	A.T.F. +4	1.6L	2.72
UMT318	NP246D	MOPAR 05179014AA	1.9L	2.72
UMT318-1	NP246D	MOPAR 05179014AA	1.9L	2.72
UMT398 %	NV203F	SAE 50 MOTOR OIL	3.9L	
UMT400-1 %	NV205F	SAE 50 MOTOR OIL	2.5L	
UMT400-2 %	NV203F	SAE 50 MOTOR OIL	3.9L	
UMT401-1 %	NV205F	SAE 50 MOTOR OIL	2.5L	
UMT401-2 %	NV203F	SAE 50 MOTOR OIL	3.9L	
UMT402	NV208F	A.T.F. MERCON	3.3L	2.61
UMT403	NV208F	A.T.F. MERCON	3.3L	2.61
UMT404	BW1345	A.T.F. MERCON	3.1L	3.28
UMT405-1 %	BW1345	A.T.F. MERCON	3.1L	3.28
UMT405-2 %	BW1345	A.T.F. MERCON	3.1L	3.28
UMT406-1 %	BW1350	A.T.F. MERCON	3.1L	2.48
UMT406-2 %	BW1350	A.T.F. MERCON	1.4L	2.48
UMT407-1 %	BW1350	A.T.F. MERCON	1.4L	2.48
UMT407-2 %	BW1350	A.T.F. MERCON	1.4L	2.48
UMT408 %	BW1350	A.T.F. MERCON	1.4L	2.48
UMT409	BW1354	A.T.F. MERCON	1.2L	2.48
UMT410	BW1354	A.T.F. MERCON	1.2L	2.48
UMT411-1	BW1356	A.T.F. MERCON	3.7L	2.69
UMT411-2 %	BW1356	A.T.F. MERCON	3.7L	2.69
UMT412-1	BW1356	A.T.F. MERCON	3.7L	2.69
UMT412-2	BW1356	A.T.F. MERCON	3.7L	2.69
UMT413	BW1356	A.T.F. MERCON	3.7L	2.69
UMT414	BW1356	A.T.F. MERCON	3.7L	2.69
UMT415-1	BW1356	A.T.F. MERCON	3.7L	2.69
UMT415-2	BW1356	A.T.F. MERCON	3.7L	2.69
UMT415-3	bw1356	A.T.F. MERCON	3.7L	2.69
UMT416-1	BW1356	A.T.F. MERCON	5.5L	2.69
UMT416-2	BW1356	A.T.F. MERCON	5.5L	2.69
UMT417	BW1356	A.T.F. MERCON	3.7L	2.69
UMT418	BW4405	A.T.F. MERCON	1.4L	2.48
UMT419-1	BW4406	A.T.F. MERCON	1.9L	2.64
UMT419-2	BW4406	A.T.F. MERCON	1.9L	2.64
UMT420-1	BW4406	A.T.F. MERCON	1.9L	2.64
UMT420-2	BW4406	A.T.F. MERCON	1.9L	2.64
UMT420-3	BW4416	A.T.F. MERCON	1.9L	2.64
UMT420-4	BW4416	MERCON XT-5 or DDX	1.8L-2.0L	2.64
UMT420-5	BW4406	DEXRON/MERCON	1.9L	2.64
UMT420-6	BW4419	XL-12 (replaces mercon)	1.4L	
UMT421	BW4406	A.T.F. MERCON	1.9L	2.64
UMT422	BW4407	A.T.F. MERCON	3.9L	2.64

Transfer Case Capacities and Fluid Types

Part Numbers	T/C Model	OEM Oil Type	Liter Capacities	Reduction
UMT423	BW4407	A.T.F. MERCON	5.78L	2.64
UMT424	BW4405	A.T.F. MERCON	1.4L	2.48
UMT425	BW1354	A.T.F. MERCON	1.2L	2.48
UMT426	BW4404	A.T.F. MERCON	1.3L	*
UMT427-1	BW1354	A.T.F. MERCON	1.2L	2.48
UMT427-2	BW1354	A.T.F. MERCON	1.2L	2.48
UMT427-3	BW1354	A.T.F. MERCON	1.2L	2.48
UMT428	BW4405	A.T.F. MERCON	1.4L	2.48
UMT429-1	BW4404	A.T.F. MERCON	1.3L	*
UMT429-10	BW4412	Motorcraft XL-12	1.4L	
UMT429-11	BW4412	Motorcraft XL-12	1.4L	
UMT429-12	BW4414	Motorcraft XL-12	1.5L	
UMT429-13	BW4411	A.T.F. MERCON	1.23L	*
UMT429-2	BW4404	A.T.F. MERCON	1.3L	*
UMT429-3	BW4403	A.T.F. MERCON		*
UMT429-4	BW4410	A.T.F. MERCON	1.3L	*
UMT429-5	BW4411	A.T.F. MERCON	1.3L	2.48
UMT429-6	BW4411	A.T.F. MERCON	1.3L	2.48
UMT429-7	BW4412	A.T.F. MERCON	1.4L	
UMT429-8	BW4412	A.T.F. MERCON	1.4L	
UMT429-9	BW4412	A.T.F. MERCON	1.4L	
UMT430-1	DANA TC28	A.T.F. MERCON	2.1L	*
UMT430-2	DANA TC28	A.T.F. MERCON	2.1L	*
UMT431	BW4406	A.T.F. MERCON	1.9L	2.64
UMT431-1	BW4417 w/tod	Motorcraft XL-12	1.4L	*
UMT431-2	BW4418	Motorcraft XL-12	1.4L	NA
UMT432-1	NV271F	DEXRON/MERCON	1.9L	2.72
UMT432-2	NV271F	DEXRON/MERCON	1.9L	2.72
UMT432-3	NV271F	DEXRON/MERCON	1.9L	2.72
UMT432-4	NV271F	DEXRON/MERCON	1.9L	2.72
UMT432-5	NV271F	XL-12 (replaces mercon)	1.9L	2.72
UMT432-6	NV271F	XL-12 (replaces mercon)	1.9L	2.72
UMT432-7	NV271F	XL-12 (replaces mercon)	1.9L	2.72
UMT433-1	NV373F	DEXRON/MERCON	1.9L	2.72
UMT433-2	NV373F	DEXRON/MERCON	1.9L	2.72
UMT433-3	NV273F	DEXRON/MERCON	1.9L	2.72
UMT433-4	NV273F	DEXRON/MERCON	1.9L	2.72
UMT433-5	NV273F	XL-12 (replaces mercon)	1.9L	2.72
UMT433-6	NV273F	XL-12 (replaces mercon)	1.9L	2.72
UMT433-7	NV273F	XL-12 (replaces mercon)	1.9L	2.72
UMT434	PTU	XY-75W140QL	.35L	*
UMT435	PTU	XY-80W90-QL	.35L	*
UMT436	PTU - auto transaxle	XY-75W140QL	530ml	*
UMT436	PTU - man transaxle	XY80W90-QL	530ml	*
UMT437	PTU	XY-75W140QL	530ml	*
UMT501-1 %	NP203C	10W-30 MOTOR OIL	3.9L	

Transfer Case Capacities and Fluid Types

Part Numbers	T/C Model	OEM Oil Type	Liter Capacities	Reduction
UMT501-2 %	NP203C	10W-30 MOTOR OIL	3.9L	
UMT502-1 %	NP205C	10W-30 MOTOR OIL	2.5L	
UMT502-2 %	NP205C	10W-30 MOTOR OIL	2.5L	
UMT503	NP208C	A.T.F. DEXRON II	4.73L	2.61
UMT504	NP208C	A.T.F. DEXRON II	4.73L	2.61
UMT505-1 %	NP205C	10W-30 MOTOR OIL	2.5L	
UMT505-2 %	NP205C	10W-30 MOTOR OIL	2.5L	
UMT505-2A %	NP205	10W-30 MOTOR OIL	2.5L	
UMT505-3 %	NP205C	10W-30 MOTOR OIL	2.5L	
UMT505-4 %	NP205C	10W-30 MOTOR OIL	2.5L	
UMT506-1 %	NP205C	10W-30 MOTOR OIL	2.5L	
UMT506-2 %	NP205C	10W-30 MOTOR OIL	2.5L	
UMT507-1 %	NP205C	10W-30 MOTOR OIL	2.5L	
UMT600-1	W100	75W - 90	1.6L	
UMT600-2	W100	75W - 90	1.6L	
UMT600-3	W100	75W - 90	1.6L	
UMT601	W100	75W - 90	1L	

* E SPEED - NO REDUCTION

** 424 IS ALSO ACCEPTABLE

*** 9l - 10.3pts if using PTO

**** a 1/2 qt thru sensor hole when full
% No longer in catalog

All capacity specs are approximate. When replacing or adding fluids, fill to recommended level and recheck